

# **RI 1.5 Reflective Glass Beads**

Material Safety Data Sheet Date: Feb 1<sup>st</sup>, 2016

# **1. IDENTIFICATION OF THE SUBSTANCE AND THE COMPANY**

Product Name:	GLASS BEADS
Company:	ANHUI TORY MATERIALS TECHNOLOGY INC.
Factory Add:	NO.609 Tianhe Road, Bengbu, Anhui, China.
Tel:	+86 552 7165556
Fax:	+86 552 7286936
Web:	www.cntory.com

#### 2. COMPOSITION INFORMATION ON INGREDIENTS

#### Substance by Weight (%):

Glass		100%
Silicon Dioxide	SiO <sub>2</sub>	72.88%
Sodium Oxide	$Na_2O$	13.36%
Calcium Oxide	CaO	8.75%
Magnesium Oxide	MgO	1.35%
Potassium Oxide	K <sub>2</sub> O	0.67%
Aluminum Oxide	Al $_2O_3$	2.56%
Ferric Oxide	$Fe_2O_3$	0.18%
Sulfur Trioxde	SO <sub>3</sub>	0.14%

#### **3. HAZARDS IDENTIFICATION**

As shipped, this product does not pose any health hazard because it does not contain ingredients which are known to cause immediate or serious effects.

# 4. FIRST AID MEASURES (SYMPTOMS)

Skin contact:	There may be mild irritation at the site of contact.
Eye contact:	There may be irritation and redness.

Anhui TORY Materials Technology Inc. No.609, Tianhe Road, 233000, Bengbu, Anhui, China Tel: +86 552 7165551 sales@cntory.com www.cntory.com



Ingestion:No Symptoms.Inhalation:Exposure may cause coughing or wheezing.

# **5. FIRE FIGHTING MEAURES**

**Extinguishing Media:** Non-Flammable substance, not applicable. Suitable extinguishing media for the surrounding fire should be used.

**Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

#### **6. ACCIDENTAL RELEASE MEASURES**

Personal Precautions:Refer to section 8 below for personal protection details.Clean-Up Procedure:Transfer to a suitable container. Material can create slippery conditions<br/>underfoot. Avoid creating dust.

## 7. HANDLING AND STORAGE

Handling Requirements: Ensure there is sufficient ventilation of the area. Avoid direct contact with the substance. Avoid the formation or spread of dust in the air.Storage Conditions: Store in cool well ventilated area. Keep bags tightly closed.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Methods: Ensure there is exhaust ventilation of the area.
Respiratory Protection: Respiratory protective device with particle filter.
Hand protection: Protective gloves.
Eye Protection: Safety glasses. Ensure eye bath is to hand.
Skin Protection: Protective clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

State:Solid SphereColour:White.Odour:Odourless.Melting Point/Range°C:Approximately 730°CRelative Density:2.4-2.6 g/cm3 (20°C)

Anhui TORY Materials Technology Inc. No.609, Tianhe Road, 233000, Bengbu, Anhui, China Tel: +86 552 7165551 sales@cntory.com www.cntory.com



## **10.STABILITY AND REACTIVITY**

The product is stable and non-reactive under normal conditions. This product will react with hydrofluoric, fluorosilicic, and phosphoric acids to produce corrosive gases. Hot, strong alkaline solutions will react with this product also.

# **11. TOXICOLOGICAL INFORMATION**

As with any abrasive material, this product is irritating to skin and eyes. May be irritating to respiratory tract. Ingestion (acute/chron-ic) may be irritating to the digestive tract. Irritation is described as reversible inflammation. The potential hazard of solid particles depends on particle size and concentration per cubic metre of air.

Particle size: Inhalable (< 100  $\mu$ m) – when deposited anywhere in the respiratory

tract

Thoracic (< 25  $\mu$  m) – when deposited anywhere within the lung airways and the gas-exchange region

Respirable (< 10  $\mu$ m) – when deposited in the gas-exchange region

The following Threshold Limit Values (TLV's) refer to airborne concentrations of

constituents in this product (and their effects as described by the ACGIH):

**OSHA PEL** – Permissible Exposure Limit (mg/m3)

ACGIH TWA – Time Weighted Average (mg/m3) STEL/C – Short-term Exposure Limit / Ceiling (mg/m3)

# **12.ECOLOGICAL INFORMATION**

Mobility: No data available.Persistence and degradability: No data available.Bioaccumulative Potential: No data available.

# **13.DISPOSAL CONSIDERATIONS**

**Disposal Operations:** Contact waste disposal services.

Disposal of Packaging: Contact waste disposal services.

**NB**: The users attention is drawn to the possible existence of regional or national regulations regarding disposal.

Pickup and reuse clean materials, avoiding dusting situations. Dispose of waste materials only in accordance with applicable federal, state, and local laws and regulations. This product is not hazardous as a waste. Check with local landfills before disposing in trash. Dispose of in closed containers to avoid dusting.

Anhui TORY Materials Technology Inc. No.609, Tianhe Road, 233000, Bengbu, Anhui, China Tel: +86 552 7165551 sales@cntory.com www.cntory.com



## **14.TRANSPORTATION INFORMATION**

#### DOT Hazard Classification: None

Placard Required: None

**Label Required:** Use original label including all warnings. When disposing of this material in its pure form use a DOT "Non-Hazardous Waste" label.

This material is classified as "non-hazardous" according to U .S. and international shipping regulation.

# **15. REGULATORY INFORMATION**

- Hazard Symbols: No significant hazard.
- **Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

# **16. OTHER INFORMATION**

- **Other Information:** Complies with Directives (2001/58/EC), (1999/45/EC), (91/155/EEC), (67/548/EEC) as amended and Chemicals (hazard information and packaging for supply) 2002 (CHIP3) Regulation, EH40.
- **Legal Disclaimer:** The information contained in this safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication.

The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and it is not to be considered a warranty or quality specification.

The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process unless specified in the text.